



STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS

Department of Administration
BUILDING CODE STANDARDS COMMITTEE
One Capitol Hill
Providence, RI 02908-5859
(401)-222-1129 FAX 222-2599

ERRATA 2013 RISBC-1 BUILDING CODE

- EFFECTIVE:** April 9, 2015
- PURPOSE:** Errata of Terms and Map References Rhode Island Building Code SBC-1 2013 Chapter 16
- AMMEND:** RISBC-1 State of Rhode Island Building Code Chapter 16
Errata of substitution of 1609.1.2 Protection of Openings reference to "Wind Zone 3"
Errata of substitution of 1609.3 Basic Wind Speed and Map References to 1609 and 1609 (A)

RISBC-1 Chapter 16 RI amendment to IBC 2012

1609.1.2 Protection of Openings.

In **Rhode Island Wind Zone 3**, **wind borne debris region** glazing in buildings shall be impact resistant or protected with an impact-resistant covering meeting the requirements of an *approved* impact-resistant standard or ASTM E 1996 and ASTM E 1886 referenced herein as follows:

1. Glazed openings located within 30 feet (9144 mm) of grade shall meet the requirements of the large missile test of ASTM E 1996.
2. Glazed openings located more than 30 feet (9144 mm) above grade shall meet the provisions of the small missile test of ASTM E 1996..... (Remainder of section unchanged).

1609.3 Basic Wind Speed.

The basic wind speed, in mph, shall be determined by **the information in Table 1608.1 Rhode Island Wind Speed Map Figure 1609 and Table 1608.1.**

Delete all IBC Figures 1609 and substitute Rhode Island Wind Speed Map Figure 1609 and Figure 1609 (A) the information in Table 1608.1 for determination of wind speeds by Risk Category within each Municipality

This Errata expires upon the effective date of the next edition of this code. Contact the Office of the State Building Code Commission for further details.

John P. Leyden CBO
State of RI Building Commissioner